

WSUS32 KPCI 221755

SIGC

MKCC WST 221755

CONVECTIVE SIGMET 44C

VALID UNTIL 1955Z

TX OK

FROM 50SE MMB-20NE OKC-20NW TTT-30NW SJT-40NE MAF-50SE MMB

AREA EMBD TS MOV FROM 20025KT. TOPS ABV FL450.

CONVECTIVE SIGMET 45C

VALID UNTIL 1955Z

TX AND CSTL WTRS

FROM 50E CRP-90SE PSX-90E BRO-10WSW BRO-40S CRP-50E CRP

AREA EMBD TS MOV FROM 18010KT. TOPS ABV FL450.

REF INTL SIGMET GOLF SERIES.

OUTLOOK VALID 221955-222355

FROM 40N PUB-ICT-40SE END-50E ACT-100SE PSX-80E BRO-BRO-60SSE

LRD-50WNW DLF-90SSE MRF-60WSW INK-50NNE SSO-30SSE JNC-40N PUB

WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM

PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KPCI 221855

SIGC

MKCC WST 221855

CONVECTIVE SIGMET 46C

VALID UNTIL 2055Z

TX OK

FROM 30NNE OKC-30NE TTT-70E FST-60SSE LBB-70SE MMB-30NNE OKC

AREA EMBD TS MOV FROM 20025KT. TOPS ABV FL450.

CONVECTIVE SIGMET 47C

VALID UNTIL 2055Z

TX AND CSTL WTRS

FROM 90SE PSX-90E BRO-20WNW BRO-40SSE CRP-70SSE PSX-90SE PSX

AREA EMBD TS MOV FROM 18010KT. TOPS ABV FL450.

REF INTL SIGMET GOLF SERIES.

OUTLOOK VALID 222055-230055

FROM 40N PUB-ICT-40SE END-50E ACT-100SE PSX-80E BRO-BRO-60SSE

LRD-50WNW DLF-90SSE MRF-60WSW INK-50NNE SSO-30SSE JNC-40N PUB

WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM

PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KPCI 221955

SIGC

MKCC WST 221955

CONVECTIVE SIGMET 48C

VALID UNTIL 2155Z

TX OK

FROM 50WSW TUL-60NE TTT-60WSW SJT-60ESE LBB-30SSW END-50WSW TUL

AREA EMBD TS MOV FROM 21025KT. TOPS TO FL450.

CONVECTIVE SIGMET 49C

VALID UNTIL 2155Z

TX AND CSTL WTRS

FROM 60SE PSX-90SE PSX-90E BRO-20WNW BRO-40SSE CRP-60SE PSX

AREA EMBD TS MOV FROM 18010KT. TOPS ABV FL450.
REF INTL SIGMET GOLF SERIES.

OUTLOOK VALID 222155-230155
AREA 1...FROM 30SSE OBH-40NW MCI-30SSE OSW-50E ACT-100SE PSX-80E
BRO-BRO-60SSE LRD-DLF-70WNW DLF-70S MRF-50W GCK-MCK-30SSE OBH
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 40SW HBU-50W TBE-50E CME-40WNW MRF-50S SJN-80SW
RSK-40SW HBU
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KPCI 222055
SIGC
MKCC WST 222055
CONVECTIVE SIGMET 50C
VALID UNTIL 2255Z
TX OK
FROM 40SW TUL-40NE MLC-70S MLC-50E SJT-70SE LBB-40SW TUL
AREA EMBD TS MOV FROM 21025KT. TOPS TO FL450.

CONVECTIVE SIGMET 51C
VALID UNTIL 2255Z
TX AND CSTL WTRS
FROM 90SE PSX-90E BRO-30W BRO-60SSW CRP-90SE PSX
AREA EMBD TS MOV FROM 18010KT. TOPS ABV FL450.
REF INTL SIGMET GOLF SERIES.

OUTLOOK VALID 222255-230255
AREA 1...FROM 60SE OBH-40NE ICT-30NE TUL-50SE MLC-50E ACT-100SE
PSX-80E BRO-BRO-60SSE LRD-DLF-MRF-30NE MCK-60SE OBH
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 30WNW RSK-40W CIM-30W FTI-40NW TCC-50E CME-60NW
MRF-40NE ELP-50W TCS-60WSW RSK-30WNW RSK
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KPCI 222155
SIGC
MKCC WST 222155
CONVECTIVE SIGMET 52C
VALID UNTIL 2355Z
TX OK
FROM 40N SPS-30WSW ADM-70WNW ACT-SJT-50SSW CDS-40N SPS
AREA EMBD TS MOV FROM 21035KT. TOPS ABV FL450.

CONVECTIVE SIGMET 53C
VALID UNTIL 2355Z
TX OK
FROM 40SW TUL-40NE MLC-60S MLC-50NW TTT-40SW TUL
AREA EMBD TS MOV FROM 21035KT. TOPS TO FL440.

CONVECTIVE SIGMET 54C

VALID UNTIL 2355Z
TX AND CSTL WTRS
FROM 50SE CRP-100SSE PSX-10E BRO-70W BRO-50SE CRP
AREA EMBD TS MOV FROM 17010KT. TOPS ABV FL450.

OUTLOOK VALID 222355-230355
AREA 1...FROM 60SE OBH-40NE ICT-30NE TUL-50SE MLC-50E ACT-100SE
PSX-80E BRO-BRO-60SSE LRD-DLF-MRF-30NE MCK-60SE OBH
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 30WNW RSK-40W CIM-30W FTI-40NW TCC-50E CME-60NW
MRF-40NE ELP-50W TCS-60WSW RSK-30WNW RSK
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KPCI 222255
SIGC
MKCC WST 222255
CONVECTIVE SIGMET 55C
VALID UNTIL 0055Z
TX OK
FROM 30SE TUL-20WSW FSM-30S TTT-SJT-30N ABI-30SE TUL
AREA EMBD TS MOV FROM 21035KT. TOPS ABV FL450.

CONVECTIVE SIGMET 56C
VALID UNTIL 0055Z
TX
FROM 70E FST-70WNW DLF
LINE SEV TS 30 NM WIDE MOV FROM 25020KT. TOPS ABV FL450.
HAIL TO 1 IN...WIND GUSTS TO 50KT POSS.

CONVECTIVE SIGMET 57C
VALID UNTIL 0055Z
TX AND CSTL WTRS
FROM 70SE CRP-30WNW BRO
LINE EMBD TS 35 NM WIDE MOV FROM 17010KT. TOPS ABV FL450.

OUTLOOK VALID 230055-230455
AREA 1...FROM 60SE OBH-40NE ICT-RZC-50E ACT-100SE PSX-80E
BRO-BRO-60SSE LRD-DLF-50S FST-30NE MCK-60SE OBH
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 30NNW RSK-40W CIM-30W FTI-40NNE TCC-50E CME-40NE
ELP-30NNE DMN-50WNW ABQ-70SSW RSK-40WSW RSK-30NNW RSK
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KPCI 222355
SIGC
MKCC WST 222355
CONVECTIVE SIGMET 58C
VALID UNTIL 0155Z
TX OK
FROM 40ESE TUL-40ESE MLC-20ESE TTT-30ENE SJT-50NNE ABI-40ESE TUL
AREA EMBD TS MOV FROM 21035KT. TOPS ABV FL450.

CONVECTIVE SIGMET 59C
VALID UNTIL 0155Z
TX
FROM 20WNW SJT-70ESE FST
LINE SEV TS 30 NM WIDE MOV FROM 25020KT. TOPS ABV FL450.
HAIL TO 1 IN...WIND GUSTS TO 50KT POSS.

CONVECTIVE SIGMET 60C
VALID UNTIL 0155Z
TX AND CSTL WTRS
FROM 60ESE CRP-50NW BRO
LINE EMBD TS 35 NM WIDE MOV FROM 17010KT. TOPS ABV FL450.

OUTLOOK VALID 230155-230555
AREA 1...FROM 40W OVR-50SW PWE-50NE ICT-RZC-50S CDS-60SSW TCC-60S
TBE-LBL-30SE LBF-40W OVR
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM RZC-60E ACT-100SE PSX-80E BRO-BRO-60SSE
LRD-DLF-70WNW DLF-30S MAF-50S CDS-RZC
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KPCI 230055
SIGC
MKCC WST 230055
CONVECTIVE SIGMET 1C
VALID UNTIL 0255Z
TX OK
FROM 30WSW RZC-20SW FSM-20E TTT-40SSE SPS-30SE OKC-30WSW RZC
AREA EMBD TS MOV FROM 21040KT. TOPS TO FL430.

CONVECTIVE SIGMET 2C
VALID UNTIL 0255Z
TX
FROM 20WNW TTT-20S TTT-30W ACT-20ENE SJT-30ENE ABI-20WNW TTT
AREA EMBD TS MOV FROM 22030KT. TOPS ABV FL450.

CONVECTIVE SIGMET 3C
VALID UNTIL 0255Z
TX AND CSTL WTRS
FROM 140ENE BRO-80SE CRP-50NW BRO
LINE EMBD TS 35 NM WIDE MOV FROM 20005KT. TOPS ABV FL450.

OUTLOOK VALID 230255-230655
AREA 1...FROM SGF-50SE RZC-60E ACT-DLF-70WNW DLF-30S MAF-50S
CDS-40S OSW-SGF
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 40W OVR-50SW PWE-50NE ICT-40S OSW-50S CDS-60SSW
TCC-60S TBE-LBL-30SE LBF-40W OVR
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 3...FROM PSX-100SE PSX-80E BRO-70W BRO-50SE LRD-PSX
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KKCI 230155
SIGC
MKCC WST 230155
CONVECTIVE SIGMET 4C
VALID UNTIL 0355Z
AR TX OK
FROM 30N FSM-10SW MLC-40SSW TTT-30SE ABI
LINE EMBD TS 40 NM WIDE MOV FROM 21035KT. TOPS ABV FL450.

OUTLOOK VALID 230355-230755
AREA 1...FROM SGF-50SE RZC-60E ACT-DLF-70WNW DLF-30S MAF-50S
CDS-40S OSW-SGF
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 30NNE MCK-30SSE GCK-30N LBB-30N CME-30NE
TBE-AKO-30NNE MCK
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 3...FROM PSX-100SE PSX-80E BRO-70W BRO-50SE LRD-40N CRP-PSX
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KKCI 230255
SIGC
MKCC WST 230255
CONVECTIVE SIGMET 5C
VALID UNTIL 0455Z
TX OK
FROM 10S MLC-10E TTT
LINE EMBD TS 45 NM WIDE MOV FROM 22035KT. TOPS ABV FL450.

CONVECTIVE SIGMET 6C
VALID UNTIL 0455Z
TX
FROM 20NW SPS-30SE TTT-10E ACT-40ENE JCT-20NNW ABI-20NW SPS
AREA EMBD TS MOV FROM 21030KT. TOPS ABV FL450.

OUTLOOK VALID 230455-230855
AREA 1...FROM 40NE SGF-50NNW LIT-70E ACT-DLF-80SSE FST-30NNW
MAF-30WSW TUL-30NW OSW-40NE SGF
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 30NNE MCK-GCK-30NE TBE-AKO-30NNE MCK
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 3...FROM 60ESE SAT-120SSW LCH-100SE PSX-80E BRO-70W BRO-60NW
CRP-60ESE SAT
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KPCI 230355
SIGC
MKCC WST 230355
CONVECTIVE SIGMET 7C
VALID UNTIL 0555Z
AR TX OK
FROM 30W FSM-30S TTT
LINE EMBD TS 45 NM WIDE MOV FROM 22035KT. TOPS ABV FL450.

CONVECTIVE SIGMET 8C
VALID UNTIL 0555Z
TX OK
FROM 30N SPS-20S ADM-30NNW ACT-50ENE JCT-50NNE ABI-30N SPS
AREA EMBD TS MOV FROM 22035KT. TOPS ABV FL450.

CONVECTIVE SIGMET 9C
VALID UNTIL 0555Z
TX
40ENE MAF
DVLPG ISOL EMBD TS D35 MOV FROM 23030KT. TOPS TO FL430.

CONVECTIVE SIGMET 10C
VALID UNTIL 0555Z
KS CO
FROM 20NW GLD-50NNW LAA
DVLPG LINE EMBD TS 30 NM WIDE MOV FROM 22020KT. TOPS TO FL380.

OUTLOOK VALID 230555-230955
AREA 1...FROM 30NW BUM-40S COU-50N LIT-70E ACT-DLF-80SSE
FST-30NNW MAF-TUL-30NW BUM
WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 2...FROM 30SW ONL-50SW OBH-50NW GCK-30NW LAA-AKO-50SW
ANW-30SW ONL
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

AREA 3...FROM 30S CWK-120SSW LCH-100SE PSX-80E BRO-70W BRO-40SSW
SAT-30S CWK
WST ISSUANCES POSS. REFER TO MOST RECENT ACUS01 KWNS FROM STORM
PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.

WSUS32 KPCI 230455
SIGC
MKCC WST 230455
CONVECTIVE SIGMET 11C
VALID UNTIL 0655Z
NE
FROM 30S ONL-50SSE OBH
DVLPG LINE EMBD TS 15 NM WIDE MOV FROM 19020KT. TOPS TO FL270.

CONVECTIVE SIGMET 12C
VALID UNTIL 0655Z
KS NE CO
FROM 40NW MCK-60NNW LAA

DVLPG LINE EMBD TS 30 NM WIDE MOV FROM 22020KT. TOPS TO FL350.

CONVECTIVE SIGMET 13C

VALID UNTIL 0655Z

AR TX OK

FROM RZC-50E FSM-50SE TTT-60ENE JCT-60ESE ABI-RZC

AREA EMBD TS MOV FROM 23025KT. TOPS TO FL450.

CONVECTIVE SIGMET 14C

VALID UNTIL 0655Z

TX

60W ABI

ISOL EMBD TS D35 MOV FROM 24030KT. TOPS TO FL430.

OUTLOOK VALID 230655-231055

FROM ABR-FOD-UIN-ARG-EIC-LRD-DLF-ABI-TUL-PWE-OBH-GLD-SNY-ABR

WST ISSUANCES EXPD. REFER TO MOST RECENT ACUS01 KWNS FROM STORM

PREDICTION CENTER FOR SYNOPSIS AND METEOROLOGICAL DETAILS.